














SPECIFICATION
MATERIAL
See drawing
STANDARD DATA
Voltage Rating:40V AC
Rating current:0.5A(per pin)
ELECTRICAL
Insulator resistance: 100 Mohms Min. @ 500 VDC
Withstanding voltage: 500 VAC/minute
Contact resistance: Initial 30 mohms Max.
After test:60 mohms Max.
MECHANICAL
Insertion force: 44.1N(4.5KgF) Max.
Withdrawal force: 9.8~39.2N(1.0~4.0KgF).
Durability: 10000 cycles Min.
PART NO.



華大電子股份有限公司
WALTA ELECTRONIC CO.,LTD.
TEL:886-2-26577778;FAX.886-2-26575659

A	EXXXX-XXX	 x 0	新開	Lonlon	2020/9/15
REV. 版本	ECN NO. 設變號碼	MARK 記號	REVISIONS 設變內容	SIGN 修改	DATE 日期

UNLESS OTHERWISE SPECIFIED TOLERANCE	尺寸公差
.X ±0.25	
.XX ±0.15	
.XXX ±0.10	
ANG. ±2°00'	

	CHECKED 審核
	APPROVED 承認

DESIGNED 設計	Lonlon 2020/9/15
DRAWN 製圖	Lonlon 2020/9/15




+	TITLE 產品名稱
---	---------------

UNIT	MM
單位	
SCALE	1/
比例	
SIZE	A4
尺寸	


1	PART NO. 產品料號	D13-0865-19012
	DOC. NO. 文件編號	CUT-0865-001

1/3
REV.
版本
A





PIN	Signal Assignment
1	TMDS Data2+
2	TMDS Data2 Shield
3	TMDS Data2-
4	TMDS Data1+
5	TMDS Data1 Shield
6	TMDS Data1-
7	TMDS Data0+
8	TMDS Data0 Shield
9	TMDS Data0-
10	TMDS Clock+
11	TMDS Clock Shield
12	TMDS Clock-
13	CEC
14	Utility
15	SCL
16	SDA
17	DDC/CEC Ground
18	+5V Power
19	Hot Plug Detect

RECOMMENDED P.C.B LAYOUT(THICKNESS:1.20mm)
COMPONENT SIDE(TOL:±0.05)








華大電子股份有限公司
WALTA ELECTRONIC CO.,LTD.
TEL:886-2-26577778;FAX:886-2-26575659


A		REVISIONS	SIGN	DATE	UNLESS OTHERWISE SPECIFIED TOLERANCE	CHECKED	DESIGNED	TITLE HDMI 19P STANDARD RECEPTACLE DIP TYPE,CH=0.00mm	2/3
REV.	ECN NO.	MARK			尺寸公差	審核	設計		
1	XXXXX-XXX	X 0	新開	2020/9/15	.X ±0.25	承認	2020/9/15	SCALE 比例 1/1	PART NO. 產品料號 D13-0865-19012
2					.XX ±0.15				
3					.XXX ±0.10			DOC. NO. 文件編號 CUT-0865-001	REV. 版本 A
4					ANG. ±2°00'				



ITEM 項目	PARTS NAME 零件名稱	FINISH/REMARK 處理/備註
1	I/O CONNECTOR	3200 PCS/BOX(REFERENCE)
2	BOX	8 REEL/BOX
3	WATERPROOF BAG	1 PCS
4	REEL	--
5	COVER TAPE	(COLOR:TRANSPARENT)
6	CARRIER TAPE	400 PCS/REEL(REFERENCE)
7	LABEL	批號標籤



TAPE REEL成品擺放方向



- NOTES
- 1.MATERIAL: PS (Color: 透明)
 - 2.DEFORMATION(變形)&DAMAGE(損壞): NA.(不可)
 - 3.All dimensions meet EIA-481-C requirements.

RoHS Compliant

WALTA

華大電子股份有限公司
WALTA ELECTRONIC CO.,LTD.
TEL:886-2-26577778;FAX:886-2-26575659

DESIGNED 設計 London 2020/9/15	CHECKED 審核	UNIT 單位 MM	TITLE 產品名稱	3/3
DRAWN 製圖 London 2020/9/15	APPROVED 承認	SCALE 比例 1/1	PART NO. 產品料號 D13-0865-19012	REV. 版本 A
SIZE 尺寸 A4		DOC. NO. 文件編號 CUT-0865-001		

REV. 版本	ECN NO. 設變號碼	MARK 記號	REVISIONS 設變內容	SIGN 修改	DATE 日期	UNLESS OTHERWISE SPECIFIED TOLERANCE 尺寸公差					
A	EXXXX-XXX	△ X 0	新開	London	2020/9/15	X. ±0.50 .X ±0.30 .XX ±0.20 ANG. ±5'00"					