










DETAIL E
MECHANICAL KEY TYPE



NOTES:

1.MATERIAL:

HOUSING: LCP, UL94V-0, Black
CONTACT: COPPER ALLOY
LATCH: STAINLESS

2.FINISH:

CONTACT:

CONTACT AREA: G/F GOLD PLATED
SOLDER AREA: G/F GOLD PLATED
UNDER PLATING: NICKEL PLATED.

LATCH:


SOLDER AREA: G/F GOLD PLATED
UNDER PLATING: NICKEL PLATED.

3.SPECIFICATION:

CURRENT RATING: 0.5A / (1PIN)
VOLTAGE RATING: 25V AC
DIELECTRIC WITHSTANDING: 125V AC FOR 1 MINUTE
CONTACT RESISTANCE: 60mΩ Max.
INSULATION RESISTANCE: 500MΩ Min
OPERATING TEMPERATURE: -40°C to +85°C
DURABILITY: 25 CYCLES MIN.



A							UNLESS OTHERWISE SPECIFIED 尺寸公差	CHECKED 審核	DESIGNED 設計 Oscar 2025/07/01		TITLE 產品名稱 SO DIMM DDR2 R/A 200 Pin Standard Type H:9.2mm									
							X. ±0.50			UNIT 單位 MM										
	A	EXXX-XXX	△ x 0	-		Oscar	2025/07/01	.X ±0.30 .XX ±0.20 ANG. ±5°00'	APPROVED 承認	DRAWN 製圖 Oscar 2025/07/01	SCALE 比例 1/1	PART NO. 產品料號 M30-C088-00021	REV. 版本 A							
	REV. 版本	ECN NO. 設變號碼	MARK 記號	REVISIONS 設變內容		SIGN 修改	DATE 日期				SIZE 尺寸 A4	DOC. NO. 文件編號 CUT-C088-00X								
	1		2		3		4		5		6		7		8		9		10	



RECOMMENDED MOUNTING
P.C. BOARD PATTERN LAYOUT DIM.



WALTA 華大電子股份有限公司
WALTA ELECTRONIC CO.,LTD.
TEL:886-2-27565688;FAX:886-2-27673342

A		X		Oscar		UNLESS OTHERWISE SPECIFIED TOLERANCE 尺寸公差 X. ±0.50 .X ±0.30 .XX ±0.20 ANG. ±5°00'	CHECKED 審核	DESIGNED 設計 Oscar 2025/07/01	TITLE 產品名稱 SO DIMM DDR2 R/A 200 Pin Standard Type H:9.2mm	UNIT 單位 MM	SCALE 比例 1/1	PART NO. 產品料號 M30-C088-00021	REV. 版本 A
REV. 版本	ECN NO. 設變號碼	MARK 記號	REVISIONS 設變內容	SIGN 修改	DATE 日期								
1	2	3	4	5	6	7	8	9	10				

