







【 SIM Card Pin Assignments 】

PIN	Name
C1	Vcc
C2	RST
C3	CLK
C4	Reserved
C5	GND
C6	Vpp
C7	I/O
C8	Reserved

NOTES:

1.MATERIAL:

HOUSING: HIGH TEMPERATURE THERMOPLASTIC, UL94V-0, Black

CONTACT: COPPER ALLOY

S/W PIN: COPPER ALLOY

SHELL: STAINLESS STEEL

2.FINISH:

CONTACT:

CONTACT AREA: G/F GOLD PLATED

SOLDER AREA: G/F GOLD PLATED

UNDER PLATING: NICKEL PLATED

SHELL:

SOLDER AREA: G/F GOLD PLATED

UNDER PLATING: NICKEL PLATED.

3.SPECIFICATION:

CURRENT RATING: 0.5A / (1PIN)

VOLTAGE RATING: 30V AC/DC

DIELECTRIC WITHSTANDING: 100V AC FOR 1 MINUTE

CONTACT RESISTANCE: 100mΩ Max.

INSULATION RESISTANCE: 100MΩ Min

OPERATING TEMPERATURE: -40°C to +85°C


DURABILITY: 5,000 CYCLES MIN.

CONTACT RETENTION: 2.5N MIN.

INSERTION FORCE: 9.8N MAX.

WITHDRAWAL FORCE: 0.5N

D/SW CIRCUIT



6	HOOK	1	STAINLESS STEEL	
5	SPRING	1	SWP-B	
4	SLIDER	1	GLASS FILLED LCP	
3	SHELL	1	STAINLESS STEEL	Solder plating gold flash
2	HOUSING	1	GLASS FILLED LCP	
1	CONTACT	6	COPPER ALLOY	Contact gold flash plating ;solder plating gold flash
NO.	DESCRIPTION	QTY.	Material	Color/plating

REV. 版本	ECN NO. 設變號碼	MARK 記號	REVISIONS 設變內容	SIGN 修改	DATE 日期
A	EXXXX-XXX	△ X 0	-	zhijun	2023/10/30


UNLESS OTHERWISE SPECIFIED TOLERANCE 尺寸公差
X. ±0.50
.X ±0.30
.XX ±0.20
ANG. ±5°00'

CHECKED 審核
DESIGNED 設計 zhijun 2023/10/30
APPROVED 承認
DRAWN 製圖 zhijun 2023/10/30






WALTA	華大電子股份有限公司 WALTA ELECTRONIC CO.,LTD. TEL:886-2-26577778;FAX:886-2-26575659
--------------	--

TITLE 產品名稱	Nano SIM Push-Push Type 6PIN w/SW H:1.25mm
UNIT 單位	MM
SCALE 比例	1/1
PART NO. 產品料號	S08-C088-00601
DOC. NO. 文件編號	CUT-C088-XXX
SHEET 頁碼	1/3
REV. 版本	A




NOTES:



1. PACKING STYLE: 2,000 PCS/REEL
20,000 PCS/OUTER CARTON
2. MATERIAL: CARRIER TAPE: PS BLACK
COVER TAPE: PET FILM
REEL: PLASTIC
3. PEEL STRENGTH OF COVER TAPE: 20~80g(PEEL SPEED 300mm/MINUTE)
4. CARTON SIZE: 350x350x340mm
5. G/W: 9.8 Kg , N/W: 5.4 Kg



Tape type sealing box



Each top of the bottom of the carton is protected by a piece of pearl cotton



華大電子股份有限公司
WALTA ELECTRONIC CO.,LTD.
TEL:886-2-26577778;FAX:886-2-26575659

A	A	EXXXX-XXX	△ X 0	-	zhijun	2023/10/30	UNLESS OTHERWISE SPECIFIED TOLERANCE 尺寸公差 X. ±0.50 .X ±0.30 .XX ±0.20 ANG. ±5°00'	CHECKED 審核 APPROVED 承認	DESIGNED 設計 zhijun 2023/10/30	DRAWN 製圖 zhijun 2023/10/30	UNIT 單位 MM SCALE 比例 1/1 SIZE 尺寸 A4	TITLE 產品名稱 Nano SIM Push-Push Type 6Pin w/SW H:1.25mm PART NO. 產品料號 S08-C088-00601 DOC. NO. 文件編號 CUT-C088-XXX	SHEET 頁碼 3/3 REV. 版本 A
	REV. 版本	ECN NO. 設變號碼	MARK 記號	REVISIONS 設變內容	SIGN 修改	DATE 日期							
	1	2	3	4	5	6	7	8	9	10			